

14 oraitaliana[®]

Spirito Eclettico
Eclectic Spirit



XO



XO è un progetto che gioca con la grafica attraverso sei pattern elementari e che si sviluppa su di un unico formato 20x20 e in tre diverse colorazioni: Oceano, Amaranto, Fango. Sul fondo bianco emergono campiture di colore geometriche ma irregolari che evocano, in chiave moderna, tracce di un passato stratificato. La collezione, costituita da diciotto articoli commerciali - utilizzabili autonomamente o in relazione - massimizza le possibilità del progettista che può inventare superfici sempre eterogenee spaziando da soluzioni sobrie e rigorose a esiti più complessi ed elaborati.

XO is a project that plays around graphically with six basic patterns and is developed in a single size in three different colours: Oceano, Amaranto, Fango.

On a white body background, irregular geometric colours emerge which evoke everything that is modern with traces of a stratified past.

The collection is made up of 18 commercial items - which can be used independently or in connection with each other.

This maximizes the possibilities for the designer, who can create heterogonous surfaces rating from simple and rigorous solutions to complex and processed outcomes.

XO

DISTANTI - UNITI -
SEPARATI

INCROCI - DIVERSI

Oceano 20x20 - 8"x8"

Material Coral

TRIANGOLO

DIAGONALE

Miele - Nocciola - Tabacco

Papiro - Silver

40x120 - 16"x48"

60x60 - 24"x24"

XO


GRES PORCELLANATO - NATURALE RETTIFICATO
PORCELAIN STONEWARE - NATURAL RECTIFIED




20x20x1 - 8"x8"x0,4"

spessore 1cm
thickness 0,4"


Amaranto



DISTANTI
CAWFM-
-202010AMD3



DIVERSI
CAWFM-
-202010AMD4




SEPARATI
CAWFM-
-202010AMD1



UNITI
CAWFM-
-202010AMD2



INCROCI
CAWFM-
-202010AMD7



INCONTRI
CAWFM-
-202010AMD6

Fango



DISTANTI
CAWFM-
-202010FAD3



DIVERSI
CAWFM-
-202010FAD4



SEPARATI
CAWFM-
-202010FAD1



UNITI
CAWFM-
-202010FAD2




INCROCI
CAWFM-
-202010FAD7



INCONTRI
CAWFM-
-202010FAD6

Oceano



DISTANTI
CAWFM-
-202010BLD3



DIVERSI
CAWFM-
-202010BLD4



SEPARATI
CAWFM-
-202010BLD1



UNITI
CAWFM-
-202010BLD2







INCROCI
CAWFM-
-202010BLD7







INCONTRI
CAWFM-
-202010BLD6





DISTANTI



INCONTRI







SEPARATI






UNITI











INCROCI



DIVERSI



Dati Tecnici / Technical Info

NORMA STANDARD	CARATTERISTICHE FEATURES	VALORE PRESCRITTO VALUE REQUIRED	
	DIMENSIONI lunghezza e larghezza spessore rettilinearità degli spigoli ortogonalità planarità	SIZES length and width thickness straightness of edges wedging fiatness	± 0,6% ± 5% ± 0,5% ± 0,6% ± 0,5%
	ISO 10545.2		Conforme In conformity with standard
	Assorbimento d'acqua Water absorption		≤ 0,5%
	ISO 10545.3		0,04%
	ASTM C373		≤ 0,5%
	Resistenza agli sbalzi termici Thermal shocks resistant		Resistente Resistant no samples must show visible defects
	ISO 10545.9		Resiste Resistant Unaffected
	ASTM C484		
	Resistenza al gelo Frost resistance		Resistente Resistant
	ISO 10545.12		Unaffected
	ASTM C1026		Unaffected
	Resistenza agli attacchi chimici Resistance to chemicals attacks		GA GLA GHA
	ISO 10545.12		Resiste Resistant Unaffected
	ASTM C1026		
	Resistenza all'abrasione Resistance to abrasion		-
	ISO 10545.4		Classe PEI 4
	ASTM C648		
	Resistenza allo scivolamento Skid resistance		-
	DIN 51130		R10
	DCoF (Bot 3.000) ANSI A 137.1:2012		≥ 0,42 wet ≥ 0,77 wet
	Resistenza alle macchie Resistance to stains		Valore minimo Min. value 3
	ISO 10545.14		5

14oraitaliana
TARGET GROUP

VIA DEL CROCIALE, 69
41042 FIORANO MODENESE_MO
ITALY

Phone +39 0536 405150
14oraitaliana.com