


# Mutina

## Brac

by Nathalie Du Pasquier









## General information


|               |   |
|---------------|---|
| collection    | Brac  |
| design        | Nathalie Du Pasquier, 2019  |
| production    | Artisanal   |
| material      | Extruded terracotta   |
| thickness     | 10 cm   |
| nominal sizes | 13x22x10 cm   |
| specification | <p>Artisanal extruded partition elements, 10cm thick.<br/>           5 colours: Argilla (natural finishing), Bianco, Salvia, Marrone, Nero (glossy painted finishing)<br/>           3 different laying patterns are possible (see attached document).</p> <p>This product is suitable for both residential and commercial areas, to be installed in walls with height of 4mt. These elements must in any case comply with the technical standards of construction regulation, applicable in the country where they are installed. For the Italian national territory, in particular, they should comply with standard NTC 2018 DECRETO MIN 27/01.<br/>           In order to achieve an optimal aesthetic outcome we advise to install BRAC using our wooden profile. The profile is painted and suitable for outdoor use. A top profile with removable sides is provided for ceiling fixing.<br/>           As complementary pieces Mutina provide the Mutina sealant, EC 1 plus for VOC emissions.<br/>           For installation process see the installation video available on <a href="http://www.mutina.it">www.mutina.it</a> for Celosia (soon available for BRAC and anyway same procedure)</p> <p>The product is suitable for indoor and outdoor areas complying with UNI EN 772-22 marked "F1-moderate exposure"</p> |
| patents       | Registered design n° 007510870-0041/0044 – date of registration: 14/01/2020   |
| category      | UNI 11128/2004  |



### complementary pieces




section




To make the installation of these items easier, a Mutina sealant is now available: an organic and eco-friendly sealing material, which is sold separately.


wall anchoring scheme




laying scheme 1  
42 pcs / sqm



laying scheme 2  
42 pcs / sqm



laying scheme 3  
35 pcs / sqm



For security reasons only staggered installation is strictly allowed.

## Laying and maintenance tips

|                                     |   |
|-------------------------------------|---|
| use                                 | Wall – indoor, outdoor.   |
| installation                        | For security reasons only staggered installation is strictly allowed.   |
| recommended adhesive                | Mutina sealant: solvents-free, eco-friendly organic sealant.  |
| recommended joints                  | –   |
| recommended fillers                 | –   |
| cleaning at the end of installation | Avoid drippings during installation. If needed the excess can be removed after the product has dried, using a tool with a sharp edge. |
| general cleaning (installed tiles)  | –   |
| calibers (real size)                | 13 x 22 x 10 cm with 1-3 mm tolerance (artisanal product)   |

## Colors



Argilla



Bianco



Nero



Salvia



Marrone